



Product Catalogue

2026

Product Catalogue

Optical Transceiver	1
1) 1.6T OSFP Optical Transceiver	1
2) 800G OSFP Optical Transceiver	1
3) 800G QSFP-DD800 SR8 Optical Transceiver	1
4) 400G OSFP Optical Transceiver	2
5) 400G QSFP28-DD Optical Transceiver	2
6) 100G QSFP28 Optical Transceiver	2
7) 40G QSFP+ Optical Transceiver	3
8) 25G SFP28 Optical Transceiver	4
9) 10G SFP+ Optical Transceiver	4
10) 1.25G SFP Optical Transceiver	6
11) 3G Video SFP Optical Transceiver support 1080P 60HZ Video	7
12) 12G Video SFP+ Optical Transceiver support 4K 60HZ Video	7
1. DAC/AOC Cable	8
1) 800G OSFP AOC	8
2) 800G QSFP-DD AOC	8
3) 800G QSFP-DD To OSFP AOC	9
4) 400G OSFP AOC	9
5) 400G QSFP-DD AOC	9
6) 400G QSFP-DD To OSFP AOC	10
7) 400G QSFP-DD To 2X200G QSFP56 AOC	10
8) 400G QSFP-DD To 4X100G QSFP28 AOC	11
9) 100G QSFP28 AOC	11
10) 40G QSFP+ AOC	11
11) 10G SFP+/25G SFP28 AOC	12
12) 400G QSFP-DD DAC	12
13) 100G QSFP28 DAC	12
14) 40G QSFP+ DAC	13
15) 10G/25G SFP+ DAC	13

Optical Transceiver


1) 1.6T OSFP Optical Transceiver



Order information

Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	Media Connector	Tx (dBm)	E/O	O/E	Rx(dBm)	Temperature(℃)
RO-1T6-LRO-2DR4	1600	1311 (1304.5-1317.5)	0.5	Dual MPO-12	-3.1~4	Siph PIC	Siph PD	-6.1~4	15~70
RO-1T6-LRO-2DR4R	1600	1311 (1304.5-1317.5)	0.5	Dual MPO-12	-3.1~4	Siph PIC	Siph PD	-6.1~4	15~70

2) 800G OSFP Optical Transceiver



Order information

Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	Media Connector	Tx (dBm)	E/O	O/E	Rx(dBm)	Temperature(℃)
R12OSFP-800G-DR8	800	Lan 1310nm	0.5	Dual MPO-12	-2.9~4	Siph PIC	Siph PD	<-5.9	0~70
R16OSFP-800G-DR8	800	Lan 1310nm	0.5	MPO-16	-2.9~4	Siph PIC	Siph PD	<-5.9	-40~85
R12OSFP-800G-SR8	800	850nm	0.1	Dual MPO-12	-4.6~4	VCSEL	PIN	<-6.4	0~70
R16OSFP-800G-SR8	800	850nm	0.1	MPO-16	-4.6~4	VCSEL	PIN	<-6.4	0~70

3) 800G QSFP-DD800 SR8 Optical Transceiver



Order information

Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	Media Connector	Tx (dBm)	E/O	O/E	Rx (dBm)	Temperature(℃)
RQDD-800G-SR8	800	850nm	0.1	MPO-16	-4.6~4	VCSEL	PIN	<-6.4	0~70

4) 400G OSFP Optical Transceiver

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	Media Connector	Tx (dBm)	E/O	O/E	Rx (dBm)	Temperature(°C)
R12OSFP-400G-DR4	400	1310nm	0.5	MPO-12	-2.9~4	EML	PIN	<-5.9	0~70
R12OSFP-400G-SR4	400	850nm	0.1	MPO-12	-4.6~4	VCSEL	PIN	<-6.4	0~70

5) 400G QSFP28-DD Optical Transceiver

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx (dBm)	PD	Rx (dBm)	Temperature(°C)
RQ-400G-FR4	400	1271-1331nm	2	CWDM EML	-3.3~3.5	PIN	<-5	0~70
RQ-400G-DR4	400	1310nm	0.5	EML	-2.9~4.0	PIN	<-5.9	0~70
RQ-400G-SR8	400	850nm	0.1	VCSEL	-6.0~4	PIN	<-7.0	0~70

6) 100G QSFP28 Optical Transceiver

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx (dBm)	PD	Rx (dBm)	Temperature(°C)
RQ-100G-SR4	100	850nm	0.1	VCSEL	-8.4~2.4	PIN	<-10.3	0~70
RQ-100G-CWDM4	100	1271-1331nm	2	CWDM DML	-6.5~2.5	PIN	<-10	0~70
RQ-100G-LR4	100	1310nm	10	LAN WDM	-4.3~4.5	PIN	<-10.6	0~70

				DFB				
RQ-100G-ER4	100	1310nm	40	LAN WDM EML	-2.9~4.5	APD	<-14.65	0~70
RQ-100G-ZR4	100	1310nm	80	LAN WDM EML	2~4.5	PIN+S OA	<-24	0~70
RQ-100G-EZR4	100	1310nm	100	LAN WDM EML	4~7.5	PIN+S OA	<-30	0~70
RQ-100GD-CXXX X	100G	DWDM	80 (with DCM EDFA)	EML	-1~4	PIN	<-12.5	0~70
RQ-100GD-CXX	100G	DWDM	80 (with DCM EDFA)	EML	-7~4	PIN	<-12.5	0~70
RQ-100GBD10-T2 7	100	TX1271/RX1331 nm	10	EML	-1.4~4.5	PIN	<-7.7	0~70
RQ-100GBD10-T3 3	100	TX1331/RX1271 nm	10	EML	-1.4~4.5	PIN	<-7.7	0~70
RQ-100GBD20-T2 9	100	TX1291/RX1311 nm	20	EML	-0.2~6.6	PIN	<-10	0~70
RQ-100GBD20-T3 1	100	TX1311/RX1291 nm	20	EML	-0.2~6.6	PIN	<-10	0~70
RQ-100GBD40-T1 304	100	TX1304/RX1309 nm	40	EML	1.7~7.1	APD	<-16	0~70
RQ-100GBD40-T1 309	100	TX1309/RX1304 nm	40	EML	1.7~7.1	APD	<-16	0~70
RQ-100GBD80-L8- T28	100	TX1273.55/ 1277.89/ 1282.26/1286.66 nm	80	LAN WDM EML	2~4.5	PIN+S OA	<-21	0~70
RQ-100GBD80-L8- T30	100	TX1295.56/1300. 05/1304.58/ 1309.14nm	80	LAN WDM EML	2~4.5	PIN+S OA	<-21	0~70

7) 40G QSFP+ Optical Transceiver

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx (dBm)	PD	Rx (dBm)	Temperature(℃)
RQ-40G-SR4	40	850nm	0.15	VCSEL	-7.6~1.0	PIN	<-11.1	0~70
RQ-40G-LR4	40	CWDM 4	10	DFB	-7~2.3	PIN	<-13.5	0~70
RQ-40G-ER4	40	CWDM 4	40	DML	-2.7~4.5	APD	<-19	0~70
RQ-40G-ZR4	40	CWDM 4	80	EML	4~7	APD	<-24	0~70

8) 25G SFP28 Optical Transceiver

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx (dBm)	PD	Rx (dBm)	Temperature(°C)
RSPD-25G-SR4	25	850	0.1	VCSEL	-5~2.4	PIN	<-10.3	0~70
RSPD-25G-LR4	25	1310	10	DFB	-7.0~2.0	PIN	<-14	0~70
RSPD-25G-LR4-I	25	1310	10	DFB	-7.0~2.0	PIN	<-14	-40~85
RSPD-25G-ER4	25	1310	30	DFB	-3.0~6.0	APD	<-18	0~70
RSPD-25G-ER4-I	25	1310	30	DFB	-3.0~6.0	APD	<-18	-40~85
RQ-25G-ER4-40	25	1310	40	EML	-3.0~6.0	APD	<-21	0~70
RSPD-25G-ER4-40-I	25	1310	40	EML	-3.0~6.0	APD	<-21	-40~85
RSPD-25GC10-CXX	25	1270-1370	10	DFB	-7.0~2.5	PIN	<-14	0~70
RSPD-25GC10-CXX-I	25	1270-1370	10	DFB	-7.0~2.5	PIN	<-14	-40~85
RSPD-25GC10E-CXX	25	1270-1370	10	EML	-3.0~6.0	APD	<-18	0~70
RSPD-25GC10E-CXX-I	25	1270-1370	10	EML	-3.0~6.0	APD	<-18	-40~85
RSPD-25GD10-XX	25	DWDM	10	DFB	-7.0~2.5	PIN	<-14	0~70
RSPD-25GD10-XX-I	25	DWDM	10	DFB	-7.0~2.5	PIN	<-14	-40~85
RSPD-25GD40-XX	25	DWDM	40	EML	-3.0~6.0	APD	<-21	0~70
RSPD-25GD40-XX-I	25	DWDM	40	EML	-3.0~6.0	APD	<-21	-40~85
RSPD-25GBD10-2733	25	TX1270/RX1330	10	DFB	-7.0~2.5	PIN	<-14	0~70
RSPD-25GBD10-3327	25	TX1330/RX1270	10	DFB	-7.0~2.5	PIN	<-14	-40~85
RSPD-25GBD40-2733	25	TX1270/RX1330	40	DFB	-7.0~2.5	APD	<-21	0~70
RSPD-25GBD40-3327	25	TX1330/RX1270	40	DFB	-7.0~2.5	APD	<-21	-40~85

9) 10G SFP+ Optical Transceiver

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx(dBm)	PD	Rx(dBm)	Temperature(°C)
RSPD-10GM03-85/I	10	850	0.3	VCSEL	-6~-1	PIN	<-11	0~70/-40~85
RSPD-10GS10-31/I	10	1310	10	DFB	-6.5~0.5	PIN	<-14.4	0~70/-40~85
RSPD-10GS40-31/I	10	1310	10	DFB	-1~3	PIN	<-15.8	0~70/-40~85
RSPD-10GS40-55/I	10	1550	40	EML	-1~3	PIN	<-15.8	0~70/-40~85
RSPD-10GS80-55/I	10	1550	80	EML	-0~5	APD	<-23	0~70/-40~85

RSPD-10GS100-55/I	10	1550	100	EML	0~6	APD	<-26	0~70/-40~85
RSPD-10G-RJ45/I	10	RJ45	0.08					0~70/-40~85
RSPD-10GC10-XX/I	10	CWDM	10	DFB	-6.5~0.5	PIN	<-14.4	0~70/-40~85
RSPD-10GC20-XX/I	10	1270-1590	20	DFB	-6.5~0.5	PIN	<-14.4	0~70/-40~85
RSPD-10GS40-XX/I	10	1270-1370/1470-1610	40	DFB	-1~3	PIN	<-15.8	0~70/-40~85
RSPD-10GS80-XX/I	10	1470-1610	80	EML	-0~5	APD	<-23	0~70/-40~85
RSPD-10GD40-XX/I	10	100GHZ /50GHZ DWDM	40	DFB	-1~3	PIN	<-15.8	0~70/-40~85
RSPD-10GD80-XX/I	10	100GHZ /50GHZ DWDM	80	DFB	-1~3	APD	<-23	0~70/-40~85
RSPD-10GS100-XX/I	10	100GHZ /50GHZ DWDM	100	EML	0~6	APD	<-26	0~70/-40~85
RSPD-10GBD10-2733/I	10	TX1270/RX1330	10	DFB	-6.5~0.5	PIN	<-14.4	0~70/-40~85
RSPD-10GBD10-3327/I	10	TX1330/RX1270	10	DFB	-6.5~0.5	PIN	<-14.4	0~70/-40~85
RSPD-10GBD40-2733/I	10	TX1270/RX1330	40	DFB	-1~3	PIN	<-15.8	0~70/-40~85
RSPD-10GBD40-3327/I	10	TX1330/RX1270	40	DFB	-1~3	APD	<-15.8	0~70/-40~85
RSPD-10GBD60-2733/I	10	TX1270/RX1330	60	DFB	-1~3	PIN	<-20	0~70/-40~85
RSPD-10GBD60-3327/I	10	TX1330/RX1270	60	DFB	-1~3	APD	<-20	0~70/-40~85
RSPD-10GBD80-4955/I	10	TX1490/RX1550	80	EML	0~5	APD	<-23	0~70/-40~85
RSPD-10GBD80-5549/I	10	TX1550/RX1490	80	EML	0~5	APD	<-23	0~70/-40~85

10) 1.25G SFP Optical Transceiver

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx (dBm)	PD	Rx (dBm)	Temperature(℃)
RSPD-03M05-85/I	1.25	850	0.5	VCSEL	-14~-9	PIN	<-18	0~70/-40~85
RSPD-03S10-31/I	1.25	1310	10	FP	-9~-3	PIN	<-18	0~70/-40~85
RSPD-03S40-31/I	1.25	1310	40	FP	-5~0	PIN	<-24	0~70/-40~85
RSPD-03S40-55/I	1.25	1550	40	DFB	-5~0	PIN	<-24	0~70/-40~85
RSPD-03S80-55/I	1.25	1550	80	DFB	0~5	PIN	<-24	0~70/-40~85
RSPD-03S120-55/I	1.25	1550	120	DFB	0~5	APD	<-31	0~70/-40~85
RSPD-RJ45A/I	10/100/1000M	RJ45	0.1					0~70/-40~85
RSPD-RJ45B/I	1000M	RJ45	0.1					0~70/-40~85
RSPD-03C20-XX/I	1.25G	CWDM	20	FP	-9~-3	PIN	<-24	0~70/-40~85
RSPD-03C40-XX/I	1.25G	CWDM	40	DFB	-5~0	PIN	<-24	0~70/-40~85
RSPD-03C80-XX/I	1.25G	CWDM	80	DFB	-1~3	PIN	<-24	0~70/-40~85
RSPD-03C120-XX/I	1.25G	CWDM	120	DFB	-0~5	APD	<-31	0~70/-40~85
RSPD-03D40-XX/I	1.25	100GHZ /50GHZ DWDM	40	DFB	-5~0	PIN	<-23	0~70/-40~85
RSPD-03D80-XX/I	1.25	100GHZ /50GHZ DWDM	80	DFB	-1~5	PIN	<-23	0~70/-40~85
RSPD-03D120-XX/I	1.25	100GHZ /50GHZ DWDM	120	DFB	0~6	APD	<-31	0~70/-40~85
RSPD-03BD10-3155/I	1.25	TX1310/RX1550	10	FP	-9~-3	PIN	<-22	0~70/-40~85
RSPD-03BD10-5531/I	1.25	TX1550/RX1310	10	FP	-9~-3	PIN	<-22	0~70/-40~85
RSPD-03BD40-3155/I	1.25	TX1310/RX1550	40	DFB	-5~0	PIN	<-23	0~70/-40~85
RSPD-03BD40-5531/I	1.25	TX1550/RX1310	40	DFB	-5~0	APD	<-23	0~70/-40~85
RSPD-03BD80-4955/I	1.25	TX1490/RX1550	80	DFB	-2~3	PIN	<-24	0~70/-40~85
RSPD-03BD80-5549/I	1.25	TX1550/RX1490	80	DFB	-2~3	APD	<-24	0~70/-40~85
RSPD-03BD120-4955/I	1.25	TX1490/RX1550	120	DFB	0~5	APD	<-31	0~70/-40~85
RSPD-03BD120-5549/I	1.25	TX1550/RX1490	120	DFB	0~5	APD	<-31	0~70/-40~85

11) 3G Video SFP Optical Transceiver support 1080P 60HZ Video

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx Power(dBm)	PD	Rx Sens(dBm)	Temperature(℃)
RSPD-3GS20-31T/I	3G	1310	20	FP	-9~-3	/	/	0~70/-40~85
RSPD-3GS20-31R/I	3G	1310	20	/	/	PIN	<-18	0~70/-40~85
RSPD-3GS40-31T/I	3G	1310	40	DFB	-2~3	/	/	0~70/-40~85
RSPD-3GS40-31R/I	3G	1310	40	/	/	PIN	<-18	0~70/-40~85
RSPD-3GS80-31T/I	3G	1550	80	DFB	0~5	/	/	0~70/-40~85
RSPD-3GS80-31R/I	3G	1550	80	/	/	APD	<-28	0~70/-40~85
RSPD-3GC20-XXT/I	3G	CWDM	20	FP	-9~-3	/	/	0~70/-40~85
RSPD-3GC20-XXR/I	3G	CWDM	20	/	/	PIN	<-18	0~70/-40~85
RSPD-3GC40-XXT/I	3G	CWDM	40	DFB	-2~3	/	/	0~70/-40~85
RSPD-3GC40-XXR/I	3G	CWDM	40	/	/	PIN	<-18	0~70/-40~85
RSPD-3GC80-XXT/I	3G	CWDM	80	DFB	0~5	/	/	0~70/-40~85
RSPD-3GC80-XXR/I	3G	CWDM	80	/	/	APD	<-28	0~70/-40~85


12) 12G Video SFP+ Optical Transceiver support 4K 60HZ Video

Order information



Product Number	Data Rate(Gb/s)	Wavelength(nm)	Reach(km)	LD	Tx (dBm)	PD	Rx(dBm)	Temperature(℃)
RSPD-12GS20-33T/I	12G	13330	20	DFB	-6.5~0.5	/	/	0~70/-40~85
RSPD-12GS20-33R/I	12G	1330	20	/	/	PIN	<-14.4	0~70/-40~85
RSPD-12GS40-33T/I	12G	1330	40	DFB	-1~3	/	/	0~70/-40~85
RSPD-12GS40-33R/I	12G	1330	40	/	/	APD	<-15.8	0~70/-40~85
RSPD-12GS60-33T/I	12G	1330	60	DFB	-1~3	/	/	0~70/-40~85
RSPD-12GS60-33R/I	12G	1330	60	/	/	APD	<-20	0~70/-40~85

1. DAC/AOC Cable



1) 800G OSFP AOC

Product Number	Data Rate(Gb/s)	Cable Spec.	Reach	LD	PD
OSFP-800G-AOC-1M	800G	OM3 MMF	1M	VCESL	PIN
OSFP-800G-AOC-3M	800G	OM3 MMF	3M	VCESL	PIN
OSFP-800G-AOC-5M	800G	OM3 MMF	5M	VCESL	PIN
OSFP-800G-AOC-10M	800G	OM3 MMF	10M	VCESL	PIN
OSFP-800G-AOC-60M	800G	OM3 MMF	60M	VCESL	PIN
OSFP-800G-AOC-100M	800G	OM4 MMF	100M	VCESL	PIN

2) 800G QSFP-DD AOC

Product Number	Data Rate(Gb/s)	Cable Spec.	Reach	LD	PD
QDD-800G-AOC-1M	800G	OM3 MMF	1M	VCESL	PIN
QDD-800G-AOC-3M	800G	OM3 MMF	3M	VCESL	PIN
QDD-800G-AOC-5M	800G	OM3 MMF	5M	VCESL	PIN
QDD-800G-AOC-10M	800G	OM3 MMF	10M	VCESL	PIN
QDD-800G-AOC-60M	800G	OM3 MMF	60M	VCESL	PIN
QDD-800G-AOC-100M	800G	OM4 MMF	100M	VCESL	PIN

3) 800G QSFP-DD To OSFP AOC

Product Number	Data Rate	Interface	Cable Spec.	Reach	LD	PD
QD-OS-800G-AOC-1M	800G	QSFP-DD TO OSFP	OM3 MMF	1M	VCESL	PIN
QD-OS-800G-AOC-3M	800G	QSFP-DD TO OSFP	OM3 MMF	3M	VCESL	PIN
QD-OS-800G-AOC-5M	800G	QSFP-DD TO OSFP	OM3 MMF	5M	VCESL	PIN
QD-OS-800G-AOC-10M	800G	QSFP-DD TO OSFP	OM3 MMF	10M	VCESL	PIN
QD-OS-800G-AOC-60M	800G	QSFP-DD TO OSFP	OM3 MMF	60M	VCESL	PIN
QD-OS-800G-AOC-100M	800G	QSFP-DD TO OSFP	OM4 MMF	100M	VCESL	PIN

4) 400G OSFP AOC

Product Number	Data Rate(Gb/s)	Cable Spec.	Reach	LD	PD
OSFP-400G-AOC-1M	400G	OM3 MMF	1M	VCESL	PIN
OSFP-400G-AOC-3M	400G	OM3 MMF	3M	VCESL	PIN
OSFP-400G-AOC-5M	400G	OM3 MMF	5M	VCESL	PIN
OSFP-400G-AOC-10M	400G	OM3 MMF	10M	VCESL	PIN
OSFP-400G-AOC-60M	400G	OM3 MMF	60M	VCESL	PIN
OSFP-400G-AOC-100M	400G	OM4 MMF	100M	VCESL	PIN

5) 400G QSFP-DD AOC

Product Number	Data Rate(Gb/s)	Cable Spec.	Reach	LD	PD
QDD-400G-AOC-1M	800G	OM3 MMF	1M	VCESL	PIN
QDD-400G-AOC-3M	800G	OM3 MMF	3M	VCESL	PIN
QDD-400G-AOC-5M	800G	OM3 MMF	5M	VCESL	PIN
QDD-400G-AOC-10M	800G	OM3 MMF	10M	VCESL	PIN
QDD-400G-AOC-60M	800G	OM3 MMF	60M	VCESL	PIN
QDD-400G-AOC-100M	800G	OM4 MMF	100M	VCESL	PIN

6) 400G QSFP-DD To OSFP AOC

Product Number	Data Rate	Interface	Cable Spec.	Reach	LD	PD
QD-OS-400G-AOC-1M	400G	QSFP-DD TO OSFP	OM3 MMF	1M	VCESL	PIN
QD-OS-400G-AOC-3M	400G	QSFP-DD TO OSFP	OM3 MMF	3M	VCESL	PIN
QD-OS-400G-AOC-5M	400G	QSFP-DD TO OSFP	OM3 MMF	5M	VCESL	PIN
QD-OS-400G-AOC-10M	400G	QSFP-DD TO OSFP	OM3 MMF	10M	VCESL	PIN
QD-OS-400G-AOC-60M	400G	QSFP-DD TO OSFP	OM3 MMF	60M	VCESL	PIN
QD-OS-400G-AOC-100M	400G	QSFP-DD TO OSFP	OM4 MMF	100M	VCESL	PIN

7) 400G QSFP-DD To 2X200G QSFP56 AOC

Product Number	Data Rate	Interface	Cable Spec.	Reach	LD	PD
QD-Q56-2X200G-AOC1M	400G	QSFP-DD TO QSFP56	OM3 MMF	1M	VCESL	PIN
QD-Q56-2X200G-AOC13M	400G	QSFP-DD TO QSFP56	OM3 MMF	3M	VCESL	PIN
QD-Q56-2X200G-AOC15M	400G	QSFP-DD TO QSFP56	OM3 MMF	5M	VCESL	PIN
QD-Q56-2X200G-AOC10M	400G	QSFP-DD TO QSFP56	OM3 MMF	10M	VCESL	PIN
QD-Q56-2X200G-AOC60M	400G	QSFP-DD TO QSFP56	OM3 MMF	60M	VCESL	PIN
QD-Q56-2X200G-AOC100M	400G	QSFP-DD TO QSFP56	OM4 MMF	100M	VCESL	PIN

8) 400G QSFP-DD To 4X100G QSFP28 AOC

Product Number	Data Rate	Interface	Cable Spec.	Reach	LD	PD
QD-Q28-4X200G-AOC1M	400G	QSFP-DD TO QSFP28	OM3 MMF	1M	VCESL	PIN
QD-Q28-4X200G-AOC13M	400G	QSFP-DD TO QSFP28	OM3 MMF	3M	VCESL	PIN
QD-Q28-4X200G-AOC15M	400G	QSFP-DD TO QSFP28	OM3 MMF	5M	VCESL	PIN
QD-Q28-4X200G-AOC10M	400G	QSFP-DD TO QSFP28	OM3 MMF	10M	VCESL	PIN
QD-Q28-4X200G-AOC60M	400G	QSFP-DD TO QSFP28	OM3 MMF	60M	VCESL	PIN
QD-Q28-4X200G-AOC100M	400G	QSFP-DD TO QSFP28	OM4 MMF	100M	VCESL	PIN

9) 100G QSFP28 AOC

Part No.	Data Rate	Fiber Type	Reach	Interface
QSFP28-100G-AOC1M	100G	OM3	1M	QSFP28 to QSFP28
QSFP28-100G-AOC10M	100G	OM3	10M	QSFP28 to QSFP28
QSFP28-100G-AOC100M	100G	OM3	100M	QSFP28 to QSFP28
QSFP28-100G-AOC150M	100G	OM4	150M	QSFP28 to QSFP28
QSFP28-4X25G-AOC1M	100G	OM3	1M	QSFP28 to 4XSFP28
QSFP28-4X25G-AOC10M	100G	OM3	10M	QSFP28 to 4XSFP28
QSFP28-4X25G-AOC30M	100G	OM3	30M	QSFP28 to 4XSFP28

10) 40G QSFP+ AOC

Part No.	Data Rate	Fiber Type	Reach	Interface
QSFP-40G-AOC1M	40G	OM3	1M	QSFP+ to QSFP+
QSFP-40G-AOC10M	40G	OM3	10M	QSFP+ to QSFP+
QSFP-40G-AOC100M	40G	OM3	100M	QSFP+ to QSFP+
QSFP-40G-AOC150M	40G	OM4	150M	QSFP+ to QSFP+
QSFP-4X10G-AOC1M	40G	OM3	1M	QSFP+ to 4XSFP
QSFP-4X10G-AOC10M	40G	OM3	10M	QSFP+ to 4XSFP
QSFP-4X10G-AOC30M	40G	OM3	30M	QSFP+ to 4XSFP

11) 10G SFP+/25G SFP28 AOC

Part No.	Data Rate	Fiber Type	Reach	Interface
SFP-10G-AOC1M	10G	OM3	1M	SFP+ to SFP+
SFP-10G-AOC10M	10G	OM3	10M	SFP+ to SFP+
SFP-10G-AOC100M	10G	OM3	100M	SFP+ to SFP+
SFP-10G-AOC150M	10G	OM4	150M	SFP+ to SFP+
SFP-25G-AOC1M	25G	OM3	1M	SFP28 to SFP28
SFP-25G-AOC10M	25G	OM3	10M	SFP28 to SFP28
SFP-25G-AOC100M	25G	OM3	100M	SFP28 to SFP28
SFP-25G-AOC150M	25G	OM4	150M	SFP28 to SFP28

12) 400G QSFP-DD DAC

Part No.	Data Rate	Cable Type	Reach	Interface
QSFPDD-400G-CU1M	400G	30AWG	1M	QSFP-DD to QSFP-DD
QSFPDD-400G-CU2M	400G	30AWG	2M	QSFP-DD to QSFP-DD
QSFPDD-400G-CU3M	400G	26AWG	3M	QSFP-DD to QSFP-DD
QSFPDD-2X200G-CU1M	400G	30AWG	1M	QSFP-DD to QSFP56
QSFPDD-2X200G-CU2M	400G	30AWG	2M	QSFP-DD to QSFP56
QSFPDD-2X200G-CU3M	400G	26AWG	3M	QSFP-DD to QSFP56
QSFPDD-4X100G-CU1M	400G	30AWG	1M	QSFP-DD to QSFP28
QSFPDD-4X100G-CU2M	400G	30AWG	2M	QSFP-DD to QSFP28
QSFPDD-4X100G-CU3M	400G	26AWG	3M	QSFP-DD to QSFP28
QSFPDD-8X50G-CU1M	400G	30AWG	1M	QSFP-DD to 8SFP56
QSFPDD-8X50G-CU2M	400G	30AWG	2M	QSFP-DD to 8SFP56
QSFPDD-8X50G-CU3M	400G	26AWG	3M	QSFP-DD to 8SFP56

13) 100G QSFP28 DAC

Part No.	Data Rate	Cable Type	Reach	Interface
QSFP28-100G-CU1M	100G	30AWG	1M	QSFP28 to QSFP28
QSFP28-100G-CU3M	100G	30AWG	3M	QSFP28 to QSFP28
QSFP28-100G-CU5M	100G	26AWG	5M	QSFP28 to QSFP28
QSFP28-4X25G-CU1M	100G	30AWG	1M	QSFP28 to 4SFP28
QSFP28-4X25G-CU3M	100G	30AWG	3M	QSFP28 to 4SFP28
QSFP28-4X25G-CU5M	100G	26AWG	5M	QSFP28 to 4SFP28

14) 40G QSFP+ DAC

Part No.	Data Rate	Cable Type	Reach	Interface
QSFP-40G-CU1M	40G	30AWG	1M	QSFP+ to QSFP+
QSFP-40G-CU3M	40G	30AWG	3M	QSFP+ to QSFP+
QSFP-40G-CU5M	40G	26AWG	5M	QSFP+ to QSFP+
QSFP-40G-CU7M	40G	24AWG	7M	QSFP+ to QSFP+
QSFP-4X10G-CU1M	40G	30AWG	1M	QSFP+ to QSFP+
QSFP-4X10G-CU3M	40G	30AWG	3M	QSFP+ to QSFP+
QSFP-4X10G-CU5M	40G	26AWG	5M	QSFP+ to QSFP+

15) 10G/25G SFP+ DAC

Part No.	Data Rate	Cable Type	Reach	Interface
SFP-10G-CU1M	10G	30AWG	1M	SFP+ to SFP+
SFP-10G-CU3M	10G	30AWG	3M	SFP+ to SFP+
SFP-10G-CU5M	10G	24AWG	5M	SFP+ to SFP+
SFP-10G-CU10M	10G	24AWG	10M	SFP+ to SFP+
SFP28-25G-CU1M	25G	30AWG	1M	SFP28 to SFP28
SFP28-25G-CU3M	25G	30AWG	3M	SFP28 to SFP28
SFP28-25G-CU5M	25G	26AWG	5M	SFP28 to SFP28